


Image not found or type unknown




# AERO 2.0 FLEX-2022 2- column

*New generation AERO desk frame. Robust, flexible model of electric desk frame, for a straight desktop, with height-adjustable function, allowing each user to create their optimum work environment.*

- Height-adjustable
- Ergonomic
- Elegant legs of rectangular design


AERO electric Sit & Stand frame for straight desktops, with continuous height adjustment control, makes it easy for the user to create an ergonomic work environment. Robust and flexible design that can be adjusted lengthways ensures a reliable desk that is easily adapted to the desktop of your choice. Free-standing legs allow optimum freedom of movement thanks to unrestricted leg room. Elegant legs of rectangular design with the big leg at the top. Based on the latest technology in height adjustment control to ensure reliable and comfortable operation.

Art. no	Colour
A21113113A14X	Silver
A21113113A40X	Black
A21113113A25X	White
A21113113A17X	Anthracite
A21113113A98X	Chrome



**Technical specifications**  
AERO 2.0 FLEX-2022 2-  
column

Image not found or type unknown



Specification	Value
Adjustable height	Yes
Powered by	Electricity
Frame width	1150 - 1740 mm
Stroke	660 mm (605 -1265 mm ± 5 mm)
Lift capacity	Max 100 kg
Speed	40 mm/sec
Standby power	0,1 W
Noise level	< 42 dBa
Dimensions tabletops	1160 - 2200 mm x 550 - 800 mm
Certifications	Fulfill Machine directive 2006/42/EC EMC directive 2014/30/EU Low voltage directive 2014/35/EC REACH, WEEE and RoHS 3 2015/863 EN 527-1:2011 Type A, EN 527-2:2016 ISO 21016 UL 962 ETL listed
Duty cycle	10%, 1 min/9 min pause
Installation height down position	605 mm
Max bending torque column	Max 200 Nm
Paintwork	Powder coating
Area of use	Indoor environment
Control unit performance	Low inbuilt height dimensions Switching technology without any magnetic fields Low standby <0,3 W Inbuilt overload protection Inbuilt temperature protection
Lifetime	Min 10 000 cycles
Weight	25 kg
Ambient temperature	+5° to +30° C
Humidity non condensed	5 - 85% non condensed